

infotec IS 2315 / IS 2316 / IS 2320



**All-round versatile
digital copying and printing**



Entry-level, uncomplicated black & white printing

Meeting your exact business needs is what Danka is accustomed to. Choose the IS 2315 as a high-quality, uncomplicated, stand-alone digital copier for the small office or workgroup, or the IS 2316 and IS 2320 for small to mid office users where versatility, all-round performance, high-quality output and straightforward GDI connectivity keep pace with your ever changing business needs.



All-round performance

With advanced, reliable and versatile features, the infotec IS 2315 copier and the infotec IS 2316 and IS 2320 multifunction systems help you to keep productivity at its highest.

- Laser-print quality copying (IS 2315) or copying and printing (IS 2316 and IS 2320)
- From 15 A4 copies per minute (IS 2315) to up to 20 A4 copies per minute (IS 2320)
- Up to 600 dpi resolution
- Less than 6.5 seconds first copy out
- Less than 15 seconds warm-up time
- Non-stop printing and copying up to 1,600 sheets paper capacity (IS 2320)
- 16 MB memory as standard
- Scan one – copy many
- Electronic sorting
- Image rotation (IS 2316 and IS 2320)
- Directional Magnification
- Reduce/Enlarge function: 50 – 200% in 1% increments
- 100-sheet Bypass
- 250-sheet output tray
- 30-sheet document feeder
- Duplex (double sided) printing as standard (IS 2320)
- 256 levels of Greyscales

Thanks to the latest technology, high-quality digital copying (IS 2315), copying and printing (IS 2316 and IS 2320) and time saving features (scan once – print many), the IS 2315, IS 2316 and IS 2320 are the ideal partners for your busy office environment.





Simplicity and ease of use

The operation panel has been designed to give you greater ease of use and accessibility:

- 4-line, 27-digit display for easy reading
- A convex Start Key and bar in the Clear Stop Key makes them easy to find and press
- Two different LED light positions make it easy to distinguish between "Can start" and "Cannot start"
- Concave panel keys make it easier to find and press

Scan once, print as many times as needed to save you valuable time and protect the source document.

The accessibility handle options provide the perfect tool for operating the paper trays when refilling or adding paper.

GDI Connectivity

Dynamic Data Stream Technology (DDST) satisfies the growing demand for GDI printing where sophisticated driver functionality is not required.

Uncomplicated, straightforward printing is what you can expect, every time.



The optional accessibility handle gives greater ease of use when refilling or adding paper



Technical specifications infotec IS 2315 / IS 2316 / IS 2320

<p>Technology</p> <ul style="list-style-type: none"> · Printing process: Laser beam scanning / marking and electro photographic printing · Reading elements: Flatbed with CCD array image-sensing elements · Duplex: Standard on IS 2320. Not available, even as an option, on IS 2315 and IS 2316 · ADF: Optional · ARDF: Optional (IS 2320 only) · Warm-up time: Less than 15 seconds · First copy: Less than 6.5 seconds · Dimensions (W x D x H): IS 2315/16: 550 x 568 x 420 mm IS 2320: 587 x 568 x 558 mm · Weight: IS 2315/16: 35 kg or less IS 2320: 47 kg or less · Power supply: 220-240V, 50-60Hz · Power consumption: 1.28KW (Operating Mode) 	<p>Copier specifications</p> <ul style="list-style-type: none"> · Resolution up to 600 dpi, 1 bit, 256 greyscales · Recovery time: Less than 10 seconds · Multiple copy: Up to 99 · Memory capacity: 16 MB (standard) · Electronic counter · 50 user codes, 8 digits · Zoom 50% to 200% in 1% steps · Enlarge/reduce in 7 fixed stages · Job start while scanning the source documents <p>Printer and copier functions</p> <ul style="list-style-type: none"> · APS/AMS (IS 2316 / 2320 only) · Image density adjustment (manual or automatic) · Auto start · Directional magnification · Photo mode · Electronic sort (for rotate sorting, optional paper tray is required. So rotate sorting is only available on IS 2316 / 2320) · Auto tray switch (optional IS 2316; standard IS 2320) · Scan once, copy many · Image rotation (IS 2316 / 2320 only) · Series copy (IS 2316 / 2320 only) · Combine copy (IS 2316 / 2320 only) · Energy-saving mode 	<p>Integrated printer controller</p> <ul style="list-style-type: none"> · CPU: D8701 Destiny 200MHz MIPS · Memory RAM: IS 2315: 16 MB IS 2316: 32 MB IS 2320: 64 MB · Print language: Standard: GDI Dynamic Data Stream Technology (DDST) Type A without NIC (IS 2316 only) Type B with NIC (IS 2320 only) Up to 600 x 600 dpi · Resolution: Up to 600 x 600 dpi · Standard interfaces: IS 2315: No interface available IS 2316: USB 2.0 only IS 2320: USB 2.0, Ethernet 10/100BaseTX (RJ-45) · Network protocols: TCP/IP (IPv4), IPP (IS 2320) · Special feature: MIB support (SMNP printer MIB)
<p>Output speed (A4, 80 g/m²)</p> <ul style="list-style-type: none"> · Simplex: Up to 15 (IS 2315), 16 (IS 2316) and 20 (IS 2320) ppm A4 · Duplex: Up to 90% of simplex speed (IS 2320 only) 		<p>Operating systems supported</p> <ul style="list-style-type: none"> · Windows 98/2000/Me/XP/Server 2003
<p>Input paper capacity, formats and weights (A4, 80 g/m²)</p> <p>Standard</p> <ul style="list-style-type: none"> · Main Tray: 250 sheet, A5 LEF - A3 SEF, 60 - 90 g/m² (2 x 250 sheet for IS 2320) · Multi Bypass Tray: 100 sheet, A6 SEF - A3 SEF, 52 - 162 g/m² · Duplex (IS 2320 only): Automatic, A5 SEF - A3 SEF, 64 - 90 g/m² · Total: 350 sheets (IS 2315/2316); 600 sheets (IS 2320) <p>Options (IS 2316 / 2320 only)</p> <ul style="list-style-type: none"> · Tray option 1: 1 x 500 sheet, A5 LEF - A3 SEF, 60 - 90 g/m² · Tray option 2: 2 x 500 sheet, A5 LEF - A3 SEF, 60 - 90 g/m² · Maximum: 350 sheets (IS 2315); 1,350 sheets (IS 2316); 1,600 sheets (IS 2320) <p>LEF = Long Edge Feed SEF = Short Edge Feed</p>	<p>Other options</p> <ul style="list-style-type: none"> · ADF: 30 sheets A4 (optional) · ARDF (double sided scan unit): 50 sheets A4 (optional IS 2320 only) · Platen cover · Paper tray: 1 x 500 sheets (IS 2316 / 2320 only) · Paper tray: 2 x 500 sheets (IS 2316 / 2320 only) · 1 bin tray: 100 sheets (IS 2320 only) · Accessibility handle type A · Accessibility handle type B 	<p>Scanner specifications</p> <ul style="list-style-type: none"> · Resolution: Up to 600 dpi, 256 greyscales · ADF: 30 sheets A4 (optional) · ARDF (double sided scan unit): 50 sheets A4 (optional IS 2320 only) · Platen cover · Duplex scanning: Yes, with ARDF (IS 2320 only) · TWAIN scanning via USB or network
<p>Output paper capacity (A4, 80 g/m²)</p> <ul style="list-style-type: none"> · Output Tray: 250 sheets, internal output · 1 Bin Tray: 100 sheets (IS 2320 only) 		

